# Dicalite Management Group, Inc.

# SAFETY DATA SHEET

Version 2.0

Revision Date: 07/13/2016

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1 Product identifiers

Product Name:

Socorro Sourced Expanded Perlite

Product Number:

Dicalite, Dicaperl, SPV Corp Expanded Perlite Products: Aerosoil, Chemsil (All CS-Grades), Blockfil, Dica-Pool, Dicaperl HP Microspheres Series (All HP-Grades),416, 416T,426, 436,436NF,456,476,476SP, 4106, 4156,LD1006,LD1106, FF-(All Grades), Hi-

Float, Lo-Float, ConAgg, CH-30,FP1000

Trade Name:

Dicalite/Dicaperl/SPV Corp. Expanded Perlite Products

General Use: Chemical Family: Multi-Functional Industrial/Commercial Mineral Amorphous Siliceous Glass

CAS-No:

Amorphous Sinceon

EC-No:

93763-70-3 310-127-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses:

Commonly used in Insulation, Construction, Horticulture, Filtration and Other

Industrial/Commercial Applications

# 1.3 Details of the supplier of the safety data sheet

Company:

Dicalite Management Group, Inc.

Suite 310, 1 Bala Avenue Bala Cynwyd, PA 19004

USA

Telephone:

(610) 660-8808

#### 1.4 Emergency telephone number

Emergency Phone #: (610) 660-8808

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the Substance or Mixture

## **Classified Components**

No Classified Components

## GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS)

Not Classified

## 2.2 GHS Label Elements, Including Precautionary Statements

Pictogram

Not applicable

Signal word

No signal word

Hazard statement(s)

No known health effects or hazards

Precautionary statement(s)

Not applicable

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - None

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms:

Amorphous Volcanic Glass

Formula:

Hydrated Aluminum Silicate Mixture - See Ingredients

#### 3.2 Ingredients

Chemical Name, Formula	CAS Number	EINECS Number	Percentage (%)
Expanded Perlite (Aluminum Silicate - Al <sub>6</sub> Si <sub>2</sub> O <sub>13</sub> )	93763-70-3	310-127-6	Up to 100% WT
Crystalline Silica (Quartz & Cristobalite – Nonrespirable SiO <sub>2</sub> )	14808-60-7 14464-46-1	231-545-4	<1% WT

#### 3.3 Hazardous Components

These products may contain traces of naturally occurring Respirable Crystalline Silica (CAS #'s 14808-60-7 and/or 14464-46-1) at concentration levels below the HazCom 2012 and GHS Revision 3 hazard classification limits for reporting. Internationally recognized and validated test methods have shown that these component ingredients are present, but are not at reportable or biologically significant levels. Thus, in the current and anticipated future physical state of these products, they are believed to be incapable of causing harm under normal conditions of use or as a result of extreme upset.

#### 3.4 Additional Information

Per XRC analysis, which combines the analytical capabilities of X-Ray Diffraction, Computer Controlled Scanning Electron Microscopy/Energy Dispersive Spectroscopy and Raman Spectroscopy to conduct particle-by-particle inter-instrumental relocation and physicochemical/mineralogical analysis - naturally occurring trace level substances in these products, including Respirable Crystalline Silica are inextricably bound, environmentally unavailable and at trace level concentrations. As a result, while these compounds are reported, they are also excluded from hazard classification.

#### 4. FIRST AID MEASURES

#### 4.1 Description of First Aid Measures

**Inhalation:** If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention

**Skin Contact:** Use good hygiene practices including washing of skin with soap and water. If irritation occurs, seek medical attention

Eye Contact: In case of eye contact, flush eyes with water. Do not rub affected areas. If necessary, seek medical attention.

Ingestion: If a large amount is swallowed, get medical attention

#### 4.2 Most Important Symptoms/Effects, Acute and Delayed:

None; generated dust may result in irritation.

## 4.3 Indication of any Immediate Medical Attention and Special Treatment Needed

Treat symptomatically. Seek medical care if large quantities have been ingested or inhaled.

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing Media

These products are not flammable. Use fire extinguishing media appropriate for surrounding materials

# 5.2 Special Hazards Arising from the Substance or Mixture

Hazardous combustion products do not occur.

#### 5.3 Explosion Data:

Sensitivity to Mechanical Impact:

None

Sensitivity to Static Discharge:

None

#### 5.4 Advice for Firefighters

No specific fire-fighting procedures are needed

#### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Follow precautions for safe handling as described in this Safety Data Sheet

#### 6.2 Environmental Precautions

Products are naturally occurring nonhazardous minerals. Handle wastes in accordance with Federal, State, and Local regulations.

# 6.3 Methods and Material for Containment and Cleaning Up

Avoid excessive and ongoing dust formation.

#### 6.4 Reference to Other Sections

For personal protection see section 8. For waste disposal see section 13.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for Safe Handling

Wear personal protective equipment in accordance with those recommendations provided in Section 8. Use good hygiene practices and wash hands and face before eating, drinking or conducting personal hygiene. Reduce contamination from clothing and protective equipment before entering eating areas.

## 7.2 Conditions for Safe Storage, Including any Incompatibilities

Store in accordance with local regulations

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Exposure Limits:

OSHA (PEL): 15 mg/m3 (TWA, total particulates, not otherwise regulated)

5 mg/m3 (TWA, respirable particulates, not otherwise regulated)

ACGIH (TLV): 10 mg/m3 (TWA, inhalable particulates, not otherwise regulated)

3 mg/m3 (TWA, respirable particulates, not otherwise regulated)

**Engineering Controls:** Keep working area clean and free of dust. Observe occupational exposure limits and provide local ventilation as necessary to control dust inhalation.

**Respiratory Protection:** No specific recommendation made, but respiratory protection must be used where general dust levels exceed occupational exposure limits. If needed, wear appropriate protection in high dust conditions and affected work areas.

Eye/Face Protection: Wear eye protection where there is danger of eye contact. Provide eyewash station.

**Skin and Body Protection:** No specific protection noted, but gloves and coveralls may be used. Wash hands at the end of each work shift and before eating, smoking and personal hygiene.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state: Granular Solid. Powder

**Color:** White to Off-White (ore has black tones)

**Melting point:** >1037.7°C / 1900°F

Odor: Odorless

**pH:** 5-10 Neutral (10% Solution in Water)

Specific Gravity: 2.2 – 2.4 (water = 1)

Granulometry: Varies (generally in the range 10µm – 6mm)

Flash Point: Not Flammable (Inorganic Solid)
Combustibility: Not Combustible (Inorganic Solid)

Water Solubility: Negligible, but miscible

Explosive Properties: Not Applicable
Oxidizing Properties: Not Applicable
VOC % Content: None, as produced

#### 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

Stable under normal temperature conditions.

#### 10.2 Chemical Stability

These products are stable.

#### 10.3 Possibility of Hazardous Reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

# 10.4 Conditions to Avoid

Avoid contact with hydrofluoric acid.

# 10.5 Incompatible Materials

Hydrofluoric Acid

#### 10.6 Hazardous Decomposition Products

Hazardous decomposition products should not be produced under normal conditions of storage and use. In the presence of hydrofluoric acid, silicon tetrafluoride gas may form.

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on Toxicological Effects

Other health effects: These substances have shown no evidence of adverse health effects under normal conditions of use or in extreme upset environments.

# **Acute Toxicity**

Acute toxicity (Oral LD50): Not relevant Acute toxicity (Dermal LD50): Not relevant Acute toxicity (Inhalation LC50): Not relevant

Inhalation: Dust in high concentrations may irritate the respiratory system

Ingestion: May cause discomfort if swallowed

Skin Contact: Powder may irritate skin

Eye Contact: Particles in the eyes may cause irritation

# 12. ECOLOGICAL INFORMATION

# 12.1 Ecotoxicity

Not regarded as dangerous for the environment

#### 12.2 Acute Fish Toxicity

Not considered toxic to fish

# 12.3 Persistence and Degradability

These products are not readily biodegradable

#### 12.4 Bioaccumulative Potential

These products are not bioaccumulating

# 12.5 Mobility in Soil

Not relevant, due to the form of the products

#### 12.6 Results of PBT and vPvB Assessment

These products do not contain any PBT or vPvB substances

#### 12.7 Other Adverse Effects

None. Perlite products represent a heat processed inorganic, inert material that does not constitute any known health hazards and is non-combustible.

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste Treatment Methods

#### Product

Dispose of waste and residues in accordance with Federal, State and Local regulations. Perlite products are not considered a hazardous waste under RCRA (40 CFR Part 261).

## **Contaminated Packaging**

Dispose of in accordance with Federal, State, and Local regulations.

#### 14. TRANSPORT INFORMATION

DOT Proper Shipping Name:

Perlite, Expanded Class 55 No restrictions.

Road transport notes:

Not classified

Rail transport notes:

Not classified

Sea transport notes:

Not classified

Air transport notes:

Not classified

#### 14.1 UN Number

These products are not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID)

#### 14.2 UN Proper Shipping Name

Not classified for transportation

# 14.3 Transport and Hazard Class(s)

Not classified for transportation

# 14.4 Packing Group

Not classified for transportation

#### 14.5 Environmental Hazards

Not an environmentally hazardous substance / marine pollutant

# 14.6 Special Precautions for User

Not classified for transportation

#### 14.7 Transport in Bulk According to Annex II of MARPOL73/78 and the IBC Code

Not applicable

#### 15. REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

#### SARA 313 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313

#### SARA 311/312 Hazards

Regulated per OSHA HAZCOM Standards

# California Proposition 65 Components

These products do not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm at levels above the "safe harbor" designation. Trace component concentrations are so low that they create no significant exposure risk of cancer, birth defects or other reproductive harm.

#### Other State Right to Know Components

No investigation of State and Local requirements was performed. For details on these regulatory requirements, contact the appropriate agencies within your region.

RCRA:

Not classified as hazardous waste under CFR 40 261

TSCA:

Material is listed in the TSCA inventory and not otherwise regulated.

CERCLA:

The material as supplied does not contain any substances regulated as hazardous.

Clean Water Act:

This product does not contain any substances regulated as pollutants pursuant to the

Clean Water Act.

## **16. OTHER INFORMATION**

Full Text of H-Statements Referred to Under Sections 2 and 3.

Not applicable

LIBRIA D. 41			
HMIS Rating		i	
Health hazard:	0	Ha	zard Rating
Chronic Health Hazard:	0	0	Minimal
Flammability:	0	-	
Physical Hazard	0	1	Slight
•		2	Moderate
NFPA Rating			
Health hazard:	0	3	Serious
Fire Hazard:	0	1	Extreme
Reactivity Hazard:	0	4	Extreme
•			

#### **Further Information**

License granted to make unlimited paper copies for internal use only. The above information is believed to be correct as of the date of preparation and does not purport to be all inclusive or account for naturally occurring variation in the composition of raw ores. It therefore, represents no guarantee of the properties associated with these products.

The information in this document should be used only as a guide in applying the appropriate safety precautions and professional consultation is advised. Should naturally occurring variation cause significant change in product composition, this information will undergo revision as appropriate. Dicalite Management Group, Inc. and its Affiliates shall not be held liable for any damage resulting from the end user's handling or contact with these products.

Version: 2.0

**Revision Date: 07/13/2016**