

Perlite Safety Data Sheet



Section 1: Product Identification

Manufacturer: NorCal Perlite Inc.
Address: 2605 Goodrick Avenue Richmond CA, 94801
Contact Information: Office: 510-232-7337 Fax: 510-232-8127
Product: Expanded Perlite in horticultural and Norlite grades.
CAS#: 93763-70-3
Chemical makeup: Sodium Potassium Aluminum Silicate
Applications/Uses: Versatile mineral used and not limited to, horticulture, construction, insulation, environmental clean-up/absorbent.

Section 2: Hazards Identification

A. Summary of Risks and Symptoms

OSHA Classification: Considered a Nuisance dust only

Pictograms: N/A

Signal Word: N/A

Hazard statement: N/A

HNOC: N/A

Supplemental Statement:

- Pre-existing respiratory conditions may increase with insulation, resulting in coughing, sneezing, and throat irritation.
- Direct eye contact may cause irritation.
- Direct Skin contact may cause drying and roughness.

Supplemental Recommendations:

- Avoid creating fines to a minimum, while wearing NIOSH approved dust protection mask and eyewear. Use lotion or skin cream to prevent drying of the skin.
- Dispose of waste in accordance with applicable local, state and federal regulations.

Perlite Safety Data Sheet



Section 3: Composition and information on ingredients

Perlite CAS# 93763-70-3-100%

Quartz: none detected

(Crystalline Silica)

Section 4: First Aid Measures

Inhalation: Find fresh air, Blow nose. Consult Physician if symptoms persist.

Eyes: Flush with Water by using eye wash station if available. **DO NOT RUB EYES**

Please consult physician if symptoms persist.

Skin: Wash with water. Apply creams or lotions to prevent drying.

Section 5: Fire Fighting Measures

Non- Flammable

Section 6: Accidental Release measures

Spill or Leak Procedures: Use appropriate personal protective equipment (PPE) and avoid creating unnecessary dust using normal cleanup methods: shovel brooms, vacuum with HEPA filter, or wet material prior to cleanup.

Section 7: Handling and Storage

Handling Precautions: Avoid creating unnecessary dust and use appropriate respiratory and eye protection.

Storage precautions: Keep Material Dry

Incompatible Materials: Hydrofluoric acid

Perlite Safety Data Sheet



Section 8: Exposure Control/Personal Protection

Exposure Limit: OSHA PEL: 15 mg/m³ ACGIH TLV- 10 mg/m³

Recommended PPE: Appropriate NIOSH/OSHA approved dust masks and tight fitting safety glasses/goggles.

Engineering Controls: Proper ventilation to keep concentrations below exposure limits.

Section 9: Physical and Chemical Properties

Appearance:	Solid white or off white gray powder or granules.
pH:	6-9 (10% slurry in water)
Flash Point:	N/A
Boiling point:	N/A
Boiling and decomposition points:	N/A
Melting points:	2,100 F- 2,300 F
Auto Ignition temperature:	N/A
Specific gravity:	2.3
Co-Efficient of Water/Oil distribution:	N/A
Water Solubility:	Negligible
Bulk Density:	3-15 LBS. cu. ft.
Odor:	Odorless

Section 10: Stability and Reactivity

Stability: Stable under normal use and conditions

Reactivity Hazards: Hydrofluoric Acid

Hazardous Decomposition Product: Will react with hydrofluoric Acid to produce toxic silicon tetrafluoride.

Perlite Safety Data Sheet



Section 11: Toxicological Information

Acute Toxicity information: None

LD/50LC50/LDLo (oral, dermal, inhalation) not established

Symptoms:

- Inhalation may cause throat irritation resulting in coughing or sneezing and may aggravate P.E.C.
- Ingestion- no symptoms known
- Aspiration Hazard- none.
- Direct eye contact will cause irritation, was well as dry skin.

Delayed effects of short and long term exposure: None known

Mutagenic effects: None

Carcinogenic effects: None

Reproductive toxicity (reproductive, developmental, and teratogenic): None

Specific target Organ Toxicity (single or repeated exposure): None

Section 12: Ecological information

Perlite is a natural occurring mineral and has no known Eco toxic effects.

Section 13: disposal considerations

Perlite, by itself, is a non-hazardous waste and should be disposed of in accordance with applicable local, state and federal regulations.

Section 14: Transportation Information

Proper Name: Expanded Perlite

DOT: Not regulated

TDG/IMO/ICAO: Not regulated

Section 15: Regulatory Information

OSHA:	Perlite is NOT considered a hazardous or toxic substance.
WHMISL	N/A
SERA:	Not listed
TSCA:	Not Listed

Section 16: Other Information

The Information provided in this document is correct to the best of our knowledge as of the publication date. This information pertains only to the material specified and may not be valid when this material is combined with other materials or subjected to other processes. No warranty or quality specification is implied by this information. It is the responsibility of the user to handle the designated material in a safe manner and comply with all applicable local, State and Federal regulations.

Prepared by:

Norcal Perlite INC. 2605 Goodrick Ave. Richmond CA 94801

June 23rd 2015